

## Korleski, Christopher

---

**From:** Korleski, Christopher  
**Sent:** Friday, December 09, 2016 9:44 AM  
**To:** 'JONES, STACY'  
**Cc:** Rowan, Anne; Cassell, Peter; Bair, Rita; Deltoral, Miguel  
**Subject:** RE: Revised Draft Script and FAQs

Thanks, Stacy – Appreciate it.

---

**From:** JONES, STACY [mailto:SJONES@idem.IN.gov]  
**Sent:** Friday, December 09, 2016 8:33 AM  
**To:** Korleski, Christopher <korleski.christopher@epa.gov>  
**Subject:** RE: Revised Draft Script and FAQs

Chris,

I found a couple grammatical errors and a consistency issue in the FAQ.

Stacy Jones  
Regulatory Implementation Specialist  
Drinking Water Branch  
Indiana Department of Environmental Management  
100 N Senate Ave (66-34)  
Indianapolis, IN 46204  
(317) 234-7454  
(317) 234-7436 (fax)  
[sjones@idem.IN.gov](mailto:sjones@idem.IN.gov)

---

**From:** Korleski, Christopher [mailto:korleski.christopher@epa.gov]  
**Sent:** Thursday, December 08, 2016 10:33 PM  
**To:** CLARK METTLER, MARTHA; JONES, STACY; Prater, Matthew; Arango, Courtney; Snemis, Donald (IDEM); 'Crowley Engineering'; 'Carla Morgan'; Hollingsworth, Mary; [philip@crowleyengineering.com](mailto:philip@crowleyengineering.com)  
**Cc:** Rowan, Anne; Cassell, Peter; Henry, Timothy; Poy, Thomas; Bair, Rita; Deltoral, Miguel; Porter, Andrea; Bosscher, Valerie; Maraldo, Dean; Mendez, Thomas; Shoven, Heather; Donnelly, Peggy; Deamer, Eileen; Kaplan, Robert; Grantham, Nancy; Bassler, Rachel  
**Subject:** Revised Draft Script and FAQs

\*\*\*\* This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. \*\*\*\*

---

Hello IDEM and East Chicago Colleagues:

In accordance with our discussion earlier today, I am attaching for your review:

